

Message

From: Fogarty, Johnpc [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8546B387C687410D88EEEE387DADDF56-JFOGAR02]
Sent: 12/19/2016 5:11:15 PM
To: Welles, Laura [Welles.Laura@epa.gov]
Subject: RE: **Ex. 5 AC/AWP/DP**

That would be great.

From: Welles, Laura
Sent: Monday, December 19, 2016 11:44 AM
To: Fogarty, Johnpc <Fogarty.Johnpc@epa.gov>
Subject: RE: **Ex. 5 AC/AWP/DP**

Also – let me know if you want me to take a stab at the cover, etc.

From: Welles, Laura
Sent: Monday, December 19, 2016 11:22 AM
To: Fogarty, Johnpc <Fogarty.Johnpc@epa.gov>
Subject: RE: **Ex. 5 AC/AWP/DP**

Ex. 5 AC/AWP/DP

From: Fogarty, Johnpc
Sent: Monday, December 19, 2016 10:01 AM
To: Welles, Laura <Welles.Laura@epa.gov>
Subject: RE: **Ex. 5 AC/AWP/DP**

Great - would like to send to them today (and ding them - again! - for not sharing the appendix).

PS - did you get a scheduler for a check-in call tomorrow?

From: Welles, Laura
Sent: Monday, December 19, 2016 9:52 AM

To: Fogarty, Johnpc <Fogarty.Johnpc@epa.gov>

Subject: RE: **Ex. 5 AC/AWP/DP**

Ex. 5 AC/AWP/DP

I'll take a look at the audit this morning.

From: Fogarty, Johnpc

Sent: Monday, December 19, 2016 9:43 AM

To: Welles, Laura <Welles.Laura@epa.gov>

Subject: RE: **Ex. 5 AC/AWP/DP**

Ex. 5 AC/AWP/DP

From: Welles, Laura

Sent: Monday, December 19, 2016 9:21 AM

To: Fogarty, Johnpc <Fogarty.Johnpc@epa.gov>

Subject: RE: **Ex. 5 AC/AWP/DP**

Ex. 5 AC/AWP/DP

From: Fogarty, Johnpc

Sent: Monday, December 19, 2016 9:10 AM

To: Welles, Laura <Welles.Laura@epa.gov>

Subject: RE: **Ex. 5 AC/AWP/DP**

Ex. 5 AC/AWP/DP

From: Welles, Laura

Sent: Monday, December 19, 2016 9:09 AM

To: Fogarty, Johnpc <Fogarty.Johnpc@epa.gov>

Subject: RE: **Ex. 5 AC/AWP/DP**

Ex. 5 AC/AWP/DP

From: Fogarty, Johnpc

Sent: Monday, December 19, 2016 9:01 AM

To: Welles, Laura <Welles.Laura@epa.gov>

Subject: RE: **Ex. 5 AC/AWP/DP**

Ex. 5 AC/AWP/DP

From: Welles, Laura
Sent: Friday, December 16, 2016 3:52 PM
To: Fogarty, Johnpc <Fogarty.Johnpc@epa.gov>
Subject: RE: **Ex. 5 AC/AWP/DP**

Ex. 5 AC/AWP/DP

From: Fogarty, Johnpc
Sent: Friday, December 16, 2016 3:38 PM
To: Welles, Laura <Welles.Laura@epa.gov>
Subject: RE: **Ex. 5 AC/AWP/DP**

Ex. 5 AC/AWP/DP

From: Welles, Laura
Sent: Friday, December 16, 2016 3:13 PM
To: Fogarty, Johnpc <Fogarty.Johnpc@epa.gov>
Subject: RE: **Ex. 5 AC/AWP/DP**

Ex. 5 AC/AWP/DP

From: Fogarty, Johnpc
Sent: Friday, December 16, 2016 2:04 PM
To: Welles, Laura <Welles.Laura@epa.gov>
Subject: RE: **Ex. 5 AC/AWP/DP**

Ex. 5 AC/AWP/DP

From: Welles, Laura
Sent: Friday, December 16, 2016 1:47 PM
To: Fogarty, Johnpc <Fogarty.Johnpc@epa.gov>
Subject: RE: **Ex. 5 AC/AWP/DP**

Ex. 5 AC/AWP/DP

Ex. 5 AC/AWP/DP

From: Fogarty, Johnpc

Sent: Friday, December 16, 2016 10:45 AM

To: Welles, Laura <Welles.Laura@epa.gov>

Subject: Re: **Ex. 5 AC/AWP/DP**

Ex. 5 AC/AWP/DP

Sent from my iPhone

On Dec 16, 2016, at 10:01 AM, Welles, Laura <Welles.Laura@epa.gov> wrote:

Ex. 5 AC/AWP/DP